



Cyclo Arc™

The Cyclo $\operatorname{Arc}^{\text{\tiny{TM}}}$ offers a durable, economical cycle storage solution with a modular design. Available in multiple size options and configurations to support your capacity requirements, our Cycle $\operatorname{Arc}^{\text{\tiny{TM}}}$ features a sturdy galvanised and powder-coated steel frame and shock-proof PETg cladded roof. Optional side panels and gates complete the setup.

- Curved back design
- ✓ Shock-proof PETg roofing
- ✓ Solid steel framework
- ✓ Choice of galvanised finish or Dura-coat[™] finish
- ✓ Side panel and gate options







Appearance

Steelwork is finished in galvanised only or Dura-coat™ colour finish to any RAL colour

(the cycle rack will remain in galvanised finish unless specified otherwise). The robust PETg cladded roof is clear.

Services

A&S Landscape recommend early consultation to consider all aspects of the installation of our Cyclo Arc™. We provide free quotations, technical information and drawing files (at design stage) to allow effortless incorporation into architects' drawings. Our service to you includes: - comprehensive site surveys, CAD Drawings and project management. Early technical involvement often improves design, aesthetics and cost.

BESPOKE PRODUCTS

Our ability to extensively customise our products ensures that we can meet any specialist requirements that you may have. Our flexible modular system often allows this to be done very economically whilst retaining all of our superior performance characteristics.

Specification

TYPICAL APPLICATIONS

The Cyclo Arc™ is ideal for -Schools | Colleges | Universities Parks and public spaces | Hospitals

MATERIALS

- Structure All steel
- Roofing UV resistant PETg cladding
- Finish Galvanised only or Dura-coat™ colour finish

DIMENSIONS

Standard length is 4100mm (10 cycles). Allow 1800 between opposing units. In all instances please enquire – we can accommodate nearly any situation.

OPTIONS

- Covered walkway between opposing units
- Side panels /gates
- Personalised engraving onto the PETg roof

- Various infill options
- Various cycle/scooter rack options
- Bolt down or root fix options

SPECIFICATION CLAUSE

To supply and install to manufacturer's recommendations: Cyclo $Arc^{\text{\tiny M}}$ to overall size — mm X — mm (or as per plan no——-) to include for clear roof, Toast rack style cycle stands to accommodate — cycles all in Dura-coat finish to RAL—— as manufactured by A&S Landscape, March Way, Battlefield Enterprise Park, Shrewsbury, SY1 3JE T: 01743 444100

E: sales@aandslandscape.com





Colours











